

Supplementary Information for

Effect of Exosomes Derived from Bone Marrow Mesenchymal Stem Cells on Ovarian Granulosa Cells of Immature NMRI Mice

Sajad Farrokhyar, M.Sc.¹, Javad Baharara, Ph.D.^{2*} , Akram Eidi, Ph.D.¹, Nasim Hayati Roodbari, Ph.D.¹

1. Department of Biology, Science and Research Branch, Islamic Azad University, Tehran, Iran

2. Department of Biology and Research Center for Animal Development Applied Biology, Mashhad Branch, Islamic Azad University, Mashhad, Iran

Table S1: Sequence of primers used in in real time polymerase chain reaction (RT- PCR) technique

Genes	Sequence of primers (5'-3')
<i>GDF-9</i>	F: CCAGCAACCAGGTGACAGGAC R: AGTGGAGGAGGAAGAGGCAGAG
<i>BMP-15</i>	F: TGCTGACGACCCTACATTGC R: CAGCCTCACCATTTTCGCTC
<i>Actin</i>	F: TGAAGGTCGGTGTGAACGGATTGGC R: CATGTAGGCCATGAGGTCCACCAC
<i>BMP-7</i>	F: TTACTTTAGAGCCCTAGTCTG R: TATGGGTACATCGGTCCAAC
<i>OCN</i>	F: GCCGAGGTGATAGTGTGGTT R: GCCGAGGTGATAGTGTGGTT
<i>OPN</i>	F: ACAACAAATACCCAGATGCT R: ACTGAACCTGACCGTACACATTGGT

Received: 16/May/2023, Revised: 24/October/2023, Accepted: 30/October/2023

*Corresponding Address: P.O.Box: 144961-4535, Department of Medical Biotechnology, Faculty of Allied Medicine, Iran University of Medical Sciences, Tehran, Iran

Email: ali.samadi@iums.ac.ir



Royan Institute
Cell Journal
(Yakhteh)