

***In Vivo* Vascularization of Endothelial Cells Derived from Bone Marrow Mesenchymal Stem Cells in SCID Mouse Model**

Abdolamir Allameh, Ph.D.^{1*} , Maryam Jazayeri, Ph.D.^{1,2}, Maryam Adelipour, M.Sc.¹

1. Department of Clinical Biochemistry, Faculty of Medical Sciences, Tarbiat Modares University, Tehran, Iran
2. Department of Biochemistry, School of Medical Sciences, Iran University of Medical Sciences, Tehran, Iran

In this article published in Cell J, Vol 18, No 2, Jul-Sep (Summer) 2016, on pages 179-188, the authors found that Figure 2A was the same as the one that has already been published and it was confusing. The following figure's legend is corrected in reference 9.

The authors would like to apologies for any inconvenience caused.

Citation: Allameh A, Jazayeri M, Adelipour M. In vivo vascularization of endothelial cells derived from bone marrow mesenchymal stem cells in SCID mouse model. Cell J. 2024; 26(2): 212. doi: 10.22074/CELLJ.2024.711902

This open-access article has been published under the terms of the Creative Commons Attribution Non-Commercial 3.0 (CC BY-NC 3.0)




Fig.2: Characterization of mesenchymal stem cells (MSCs) by their ability to differentiate into adipocytes and osteocytes. **A.** The results of oil red-O staining in adipocytes that differentiated from MSCs (9), **B.** Negative control for adipocytes, **C.** The results of alkaline phosphatase (ALP) staining in osteocytes that differentiated from MSCs, and **D.** Negative control for osteocytes (magnification: $\times 10$).

Reference

9. Jazayeri M, Allameh A, Soleimani M, Jazayeri SH, Piryaei A, Kazemnejad S. Molecular and ultrastructural char-

acterization of endothelial cells differentiated from human bone marrow mesenchymal stem cells. Cell Biol Int. 2008; 32(10): 1183-1192.

*Corresponding Address: P.O.Box: 14115-111, Department of Clinical Biochemistry, Faculty of Medical Sciences, Tarbiat Modares University, Tehran, Iran
Email: allameha@modares.ac.ir